

MATERIAL SAFETY DATA SHEET

CLASSIFICATION OF MATERIAL:

Hazardous under Worksafe Australia Guidelines

COMPANY DETAILS

COMPANY	Delshine Chemicals
ABN NUMBER	21 009 447 769
ADDRESS	30 Prindiville Drive, Wangara
FACSIMILE NUMBER	(08) 9309 4334
TELEPHONE NUMBER	(08) 9309 4222
EMERGENCY TELEPHONE NUMBER	041 992 7281

IDENTIFICATION

Product Name: Sodium Bisulfate / Spa pH Reducer

Other Names: Sodium Pyrosulfate, Sodium acid sulfate, sodium hydrogen sulfate.

UN Number:	3260	
Hazchem Code:	2X	Packaging Group: 111
Dangerous Goods Class:	8	
Sub Risk:	Not applicable	
Poisons Schedule:	S5	
Use:	Reducing pH in spa baths.	

PHYSICAL DESCRIPTION / PROPERTIES

Appearance:	White crystals or powder, odourless.		
Boiling Point (°C):	No Data	Melting Point:	180°C
Specific Gravity Kg/Lt:	1.43		
Vapour Pressure (Pa or mm of Hg at 25°C):	No data		

Physical Descriptions / Properties cont.

Flashpoint (°C): Not applicable

Flammability Limits (%): Not applicable

Solubility in Water (g/L): 280g/L at 25°C

PH: 15 sol. Is 1.3, bulk density 1.4-1.5 kg/L

Other properties: Not applicable

INGREDIENTS

Chemical Entity:	CAS No:	Proportion (% mass)
Sodium Bisulfate	7681-38-1	>60%
Sodium Sulfate	7757-82-6	<10%

HEALTH HAZARD INFORMATION

HEALTH EFFECTS

Acute: Effects are principally irritation due to acidic properties.

Swallowed: Product is acidic. Highly corrosive to mucous membranes. Oral LD50 – no information.

Eye: Risk of serious damage to eyes.

Skin: Dust is very irritating, especially when wet.

Inhaled: Dust is very irritating.

Chronic: No data available.

FIRST AID

Swallowed: Do not induce vomiting. Give 1-2 glasses of water and transport to doctor or hospital immediately.

Eye: Hold affected eye open and flush with running water for at least 15 minutes.

Skin: Remove all contaminated clothing and wash affected area with plenty of soap and water.

Inhaled: Remove patient to fresh air and seek medical advice.

First Aid cont.

Advice to Doctor: Treat symptomatically.

First Aid Facilities: Ensure an eye bath and safety shower are available and ready for use.

PRECAUTIONS FOR USE

Exposure Standards

Time weighted average (TWA) – none available.

Engineering Controls:

Good ventilation. Avoid generating dust when in use.

PERSONAL PROTECTION

Eye: Dust mask and goggles.

Hand: Natural rubber or neoprene gloves.

Respirator Type: Where an inhalation hazard exists, use a particulate filter respirator selected to AS 1715.

Protective Clothing: Protective overalls.

SAFE HANDLING INFORMATION

Storage: Keep container tightly closed and dry. Keep container off wet floor.

Transport: Transport in accordance with ADG code on Class 8 (corrosive) materials.

Incompatibilities: Avoid contact with water.

Spills: Sweep up and collect in containers for disposal at a licensed tip. Never spray with water.

Disposal: Refer to Local and State trade waste regulations.

Flammability: Not flammable. If exposed to fire may release toxic fumes of sulfur oxides. The aqueous solution is acidic and attacks many metals with the liberation of hydrogen, which is flammable and forms explosive mixtures with air.

Fire/Explosion Hazard: When heated to decomposition, can generate toxic fumes of sulfur dioxide. Wear self contained breathing apparatus.

OTHER INFORMATION

Hazard Classification

C Corrosive

Risk Phrases

R34 Causes Burns
R37 Irritating to respiratory system

Safety Phrases

S1/2 Keep locked up and out of reach of children
S26 Incase of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

CONTACT POINT – Les Buss – TELEPHONE (08) 9309 4222

AUTHORISATION FOR ISSUE

_____ **Les Buss**

DATE

____/____/____

The above information is accurate to the best of the knowledge available to us. However since data safety and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control we make no warranty, whether express or implied, with respect to completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Users should satisfy themselves that they have all current data relevant to their particular use.