

MATERIAL SAFETY DATA SHEET

Section 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

COMPANY	Delshine Chemicals
ABN NUMBER	78-805-588-343
ADDRESS	Unit 1 / 30 Prindiville Drive, Wangara
TELEPHONE NUMBER	(08) 9309 4222
EMERGENCY TELEPHONE	041 992 7281 (After hours)
EMAIL	delshine-chemicals@bigpond.com
WEB SITE	www.delshinechemicals.com
BRAND NAME –	Slip Eeze
TRADE NAME -	Slip Eeze
SHIPPING NAME (section 14)	Slip Eeze
USE –	

Glass preparation prior to tinting.

RESTRICTIONS –

Conditions to avoid

Incompatibilities

Heat and direct sunlight

Section 2 HAZARDS CLASSIFICATION / IDENTIFICATION

CLASSIFIED AS :NON HAZARDOUS – According to the criteria of NOHSC

Emergency Overview : May be harmful if swallowed. Could cause eye and skin burns .

Target Organs – None

Potential Health Effects

Eye – May cause eye injury. Contact with liquid maybe corrosive to the eyes and cause severe burns.

Skin – Contact with liquid may cause burns and ulcerations.

Ingestion – Causes severe pain , nausea , vomiting , diarrhoea and shock. May cause haemorrhaging of the digestive tract. May cause corrosion and permanent tissue destruction of the oesophagus and digestive tract. May be harmful if swallowed.

Inhalation – Irritation may lead to chemical pneumontis and pulmonary oedema. Causes severe irritation of upper respiratory tract with coughing , burns , breathing difficulty and possible coma.

Chronic – Prolonged inhalation may cause respiratory tract inflammation and lung damage. Prolonged or repeated skin contact may cause dermatitis. Prolonged or repeated eye contact may cause conjunctivitis.

RISK PHRASES :

R22 Harmful if swallowed

R41 Risk of serious damage to eyes

SAFETY PHRASES: S1/2 Keep locked up and out of reach of children

S 24 / 25 Avoid contact with skin and eyes

S 26 In case of contact with eyes rinse immediately with plenty of water and seek medical advice.

S28 After contact with skin wash immediately of water.

S36/37/39 Wear suitable protective clothing ,gloves and eye/face protection

S46 If swallowed seek medical advice immediately show this label and container

Section 3 COMPOSITION / INFORMATION OF INGREDIENTS

Chemical Entity:	CAS No:	Proportion (% mass)
Ethoxylated C12C15 Alcohols	68131-39-5	<10

Section 4 FIRST AID MEASURES

Eyes – Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Get medical aid immediately.

Skin – Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Discard contaminated clothing in a manner which limits further exposure.

Ingestion – DO NOT induce vomiting. If victim is conscious and alert give 2 – 4 cupfuls of milk or water. Get medical aid immediately.

Inhalation- Remove from exposure to fresh air immediately. If not breathing give artificial respiration. If breathing is difficult give oxygen . DO NOT use mouth to mouth respiration.

Note to Physician – Treat symptomatically and supportively.

First Aid Facilities: Ensure an eye bath and safety shower are available and ready for use.

Section 5 FIRE FIGHTING MEASURES

FIRE : Extreme heat or contact with metals can release flammable hydrogen gas.

EXPLOSION : Not considered to be an explosion hazard.

FIRE EXTINGUISHING MEDIA : If involved in a fire use water spray. Neutralize with soda ash or slaked lime.

SPECIAL INFORMATION : In the event of a fire wear full protective clothing and NIOSH – approved self contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

Section 6 ACCIDENTAL RELEASE MEASURES

VENTILATE AREA OF LEAK OR SPILL : Wear appropriate personal protective equipment as specified in section 8 . Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Neutralize with alkaline material (Soda ash, lime) then absorb with an inert material

(eg – vermiculite , dry sand , earth) and place in a chemical waste container. Do not use combustible materials such as sawdust. Do not flush to sewer.

Section 7 HANDLING AND STORAGE

Handling and storage : Store in a cool dry ventilated storage area . Protect from physical damage. Keep out of direct sunlight and away from heat , water and incompatible materials. Do not wash out containers and use it for other purpose. Containers of this material may be hazardous when empty since they retain product residues, vapours and liquids. Observe all warnings and precautions listed for the product.

Section 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls – Facilities storing or utilizing material should be equipped with an eyewash facility and safety shower. Use adequate general or local exhaust ventilation to keep air borne concentrations below the permissible exposure limits.

NOHSC exposure standards – Phosphoric Acid – TWA 1mg/m³ , STEL 3mg/m³ – Hydrogen Chloride 7.5 mg/m³ (Peak limitation)

Personal Protection.

Eyes – Wear appropriate protective eyeglasses or chemical safety goggles.

Skin – Wear appropriate protective gloves to prevent skin exposure.

Clothing – Wear appropriate protective clothing to prevent skin exposure

Respirators – Wear an AS1715/1716 approved full face piece airline respirator in the positive pressure mode with emergency escape provisions.

Section 9 PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE – Colourless

PH – For HCl Solutions 1.9

BOILING POINT °C - 100°C

FREEZING POINT °C – not available

SPECIFIC GRAVITY – 1.1

Melting Point –

ODOUR - Acidic

VAPOUR PRESSURE

VAPOUR DENSITY – Not available

SOLUBILITY – Infinite in water with slight evolution of heat

Section 10 STABILITY & REACTIVITY

Chemical Stability – stable under normal temperatures and pressures.

Conditions to Avoid – Incompatible materials , metals , excess heat.

Incompatibilities with other materials – reacts with alkalis (bases) to form phosphate salts and is corrosive (especially when hot) to many metals and alloys. Liberates explosive hydrogen gas when reacting with stainless steel (slow)

Hazardous Decomposition – Products – Oxides of phosphorus.

Hazardous Polymerization – May occur

Section 11 TOXICOLOGICAL INFORMATION

Section 12 ECOLOGICAL INFORMATION

Environmental Fate : When released into the soil this material is not expected to biodegrade. When released into the soil this material may leach into ground water.

Environmental Toxicity : This material is expected to be toxic to aquatic life.

Section 13	DISPOSAL CONSIDERATIONS
-------------------	--------------------------------

Dispose of container and unused content in accordance with federal , state and local requirements.

Section 14	TRANSPORT INFORMATION
-------------------	------------------------------

No Special Requirements

Section 15	REGULATORY INFORMATION
-------------------	-------------------------------

POISONS SHEDULE (SUSDP)

SUSDP poison Schedule : S26 (requires child proof lid on 5 lts or less.

SAFETY DIRECTIONS : Avoid contact with skin and eyes. Avoid breathing vapour or spray mist.

FIRST AID : For advise contact a Poisons Information Centre

(Phone Australia 131 126) or a doctor at once. If swallowed do not induce vomiting.

If in eyes hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by poisons information centre or a doctor, or for at least 15 minutes. If skin or hair contact occurs remove contaminated clothing and flush skin and hair with running water.

Section 16	OTHER INFORMATION
-------------------	--------------------------

NFPA Rating : Health : 3 Flammability : 0 Reactivity : 0

Label Precautions : Do not get in eyes on skin or on clothing . Do not breathe vapour or mist. Use only with adequate ventilation. Wash thoroughly after handling. Store in a tightly closed container. Remove and wash contaminated clothing promptly.

DATE OF LAST REVISION OF MATERIAL SAFETY DATA SHEET :
25th March 2016

CONTACT POINT – Les Buss – TELEPHONE (08) 9309 4222

AUTHORISATION FOR ISSUE

____/____/____

DATE

Les Buss

The above information is accurate to the best of the knowledge available to us. However since data safety and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control we make no warranty, whether express or implied, with respect to completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Users should satisfy themselves that they have all current data relevant to their particular use.

MSDSSlipeeze2016.doc