

# MATERIAL SAFETY DATA SHEET

## Section 1

## IDENTIFICATION OF THE MATERIAL AND SUPPLIER

COMPANY	Delshine Chemicals
ABN NUMBER	78-805-588-343
ADDRESS	Unit 1 / 30 Prindiville Drive, Wangara
TELEPHONE NUMBER	(08) 9309 4222
EMERGENCY TELEPHONE	041 992 7281 ( After hours )
EMAIL	<a href="mailto:delshine-chemicals@bigpond.com">delshine-chemicals@bigpond.com</a>
WEB SITE	<a href="http://www.delshinechemicals.com">www.delshinechemicals.com</a>
BRAND NAME	Methylated Spirits
TRADE NAME	Denatured Absolute Alcohol Industrial
SHIPPING NAME ( section 14 )	Ethanol
USE	Varied depending on trade of user
RESTRICTIONS	Keep away from oxidizing agents

## Section 2

## HAZARDS CLASSIFICATION / IDENTIFICATION

Classified as hazardous according to criteria of Work safe Australia dangerous according to the criteria of the ADG code.

Symbols	F	Highly Flammable
Risk Phases	R11 R36/38 R66	Highly Flammable Irritating to eyes and skin Repeated exposure may cause skin dryness or cracking
Safety Phases	S1/2 S7 S16 S23 S24/25 S26  S29 S33 S36/37/36 S45	Keep locked up and out of reach of children Keep container tightly closed Keep away from sources of ignition – no smoking Do not breathe vapour / mist Avoid contact with skin and eyes In case of contact with eyes rinse immediately with plenty of water and seek medical advice  Do not empty into drains Take precautionary measures against static discharge Wear suitable protective clothing /gloves and eye/face protection In case of accident or if you feel unwell seek medial advice show label whenever possible

## Section 3

## COMPOSITION / INFORMATION OF INGREDIENTS

**Chemical Entity:**  
Ethanol

**CAS No:**  
64-17-5

**Proportion (% mass)**  
99 %

## Section 4

## FIRST AID MEASURES

**Swallowed** – If swallowed do NOT induce vomiting. Transport to nearest medical facility for additional treatment.

**Eyes** – If in eyes hold eyes open flood with water for at least 15 minutes. If redness , burning , blurred vision or swelling persist transport to nearest medical facility for addition treatment.

**Skin** - If skin contact occurs remove contaminated clothing and wash skin thoroughly with water and follow by washing with soap if available.

**Inhaled** – Remove victim from exposure if safe to do so. If rapid recovery does not occur transport to nearest medical facility for additional treatment. Remove contaminated clothing.

**First Aid facilities** – Potable water should be available to rinse eyes and skin. Provide eye bath and safety showers.

**Advice to Doctor** Treat as for excess consumption of alcoholic drink.

**Additional Information** None available.

**First Aid Facilities:** Ensure an eye bath and safety shower are available and ready for use.

## Section 5

## FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** – Alcohol stable foam, water spray or fog. Dry chemical powder, carbon dioxide for small fires only. Do not use water in a jet.

**Hazards from combustion products** – Carbon monoxide and / or Carbon dioxide may be evolved.

**Precautions for fire fighters and special protective equipment** – Wear full protective clothing and self contained breathing apparatus.

## Section 6

## ACCIDENTAL RELEASE MEASURES

**Observe all local and national regulations.**

**Spills and Disposal** – Avoid contact with spilled or released material. Shut off leaks, if possible without personal risk. Remove all sources of ignition in the surrounding area. Use appropriate containment to avoid environmental contamination. Prevent from spreading and entering waterways using sand , earth or other appropriate barriers. Take precautionary measures against static discharge. Ensure electrical continuity by bonding and earthing all equipment. Spills can be converted to Non flammable mixture by dilution with water.

**Methods and Materials for containment and clean up procedures** for small spills (<1drum) transfer by mechanical means to a labeled sealable container for product recovery or safe disposal Allow any residues to evaporate or use and appropriate absorbent material and dispose of safely.

For large spill (>1drum ) transfer by means such as a vacuum truck to a salvage tank for recovery or disposal. Do not flush residues with water. Retain as contaminated waste. Allow any residues to evaporate or use an appropriate absorbent material and dispose of safely.

## Section 7

## HANDLING AND STORAGE

**Precautions for safe handling and storage** – Avoid breathing or contact with material. Use in well ventilated area. Wash thoroughly after handling . Avoid contact with skin and eyes and clothing. Handle open containers in well ventilated area. Ensure that the workplace is ventilated such that the Occupational Exposure Limits is not exceeded. Do not empty into drains.

Do not eat , drink , or smoke in contaminated areas. Before eating , drinking or smoking remove contaminated clothing and wash hands . Do not store near strong oxidants.

**Dispensing** – Electrostatic charges may be generated during transfer. Electrostatic discharge may cause fire . Ensure electrical continuity by earthing all equipment.

**Flammability – Highly Flammable**

## Section 8

## EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Standards** – National Occupational Health and Safety Commission ( NOHSC ) Work Safe Australia has set an exposure standard 1880mg/m<sup>3</sup> (1000ppm) TWA ( 8hr )

**Personal Protective Equipment**

**Respiratory Protection** – In instances where ethanol concentrations are likely to exceed 500ppm and approved organic vapour respirator (AS/NZS 1715 and 1716 ) should be worn.

**Hand Protection** – Use solvent resistant gloves. Nitrile PVC or neoprene.

**Protective Clothing** – Use chemical resistant glove / gauntlets , boots and apron. Skin protective not ordinarily required beyond standard issue work clothes.

**Engineering Control** – Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Avoid generating and inhaling mist. Keep containers closed where not in use.

## Section 9 PHYSICAL & CHEMICAL PROPERTIES

**APPEARANCE** Colourless clear liquid  
**PH** Not available

**BOILING POINT** °C 78

**FREEZING POINT** °C -117

**SPECIFIC GRAVITY** 0.79-0.81

**SOLUBILITY IN WATER** miscible in water

**FLAMMABILITY LIMITS** 3.5 – 19.0

**ODOUR** Alcoholic

**VAPOUR PRESSURE** 44

**VAPOUR DENSITY** 1.59 @ 15 Deg°

**FLASH POINT 13 (abel )**

**AUTO IGNITION TEMP** 392°

**PERCENT VOLATILES** 100

## Section 10 STABILITY & REACTIVITY

**Chemical Stability** - Stable under normal conditions of use

**Conditions to Avoid** – Avoid heat , sparks , open flames and other ignition sources.

**Incompatible Materials** – Strong oxidizing agents

**Hazardous Decomposition Products** – Burning can produce carbon monoxide and or carbon dioxide.

## Section 11 TOXICOLOGICAL INFORMATION

Health Effects Acute

**Swallowed** – Accidental swallowing is unlikely in the workplace setting . Swallowing can cause drunkenness or harmful centre nervous system effects. The deliberate ingestion of ethanol ( 50-100mls ) may cause inebriation such as that safety is impaired. Effects of a small intake may include excitation , euphoria , headache , dizziness , drowsiness , blurred vision and fatigue. Ingestion of a large amount may lead to severe acute intoxication , tremours , convulsions , loss of consciousness, coma , respiratory arrest and death. Aspiration in to lung may cause pneumoniitis.

**Eye** – Vapours may irritate the eyes . Liquid or mist may severely irritate or damage eyes.

**Skin** – Mild irritant. Prolonged contact may cause defatting of skin which can lead to dermatitis.

**Inhaled** – Inhalation of vapours or mist may cause irritation to the respiratory system. Inhalation of the vapour may result in drunkenness ( as per effects of swallowing ). Early symptoms may occur at airborne levels of 1000 to 5000ppn.

**Chronic** – Long term exposure by swallowing or repeated inhalation may cause degenerative changes in the liver, kidneys , gastrointestinal tract and heart muscle.

## Section 12 ECOLOGICAL INFORMATION

Ecotoxicity

Fish Expected to be harmful

Aquatic Invertebrates Expected to be harmful

Algae Expected to be toxic

Microorganisms Expected to be harmful

Mobility Miscible with water

Persistence / degradability Biodegradable

## Section 13 DISPOSAL CONSIDERATIONS

Disposal Methods – Ensure waste disposal conforms to local waste disposal regulations.

## Section 14 TRANSPORT INFORMATION

Number	1170	Proper Shipping Name	Ethanol
Class	3	Subsidiary Risk	None allocated
Packaging Group	11	Hazchem Code	2 { Y } E
Special Precautions	None		

<b>Section 15</b>	<b>REGULATORY INFORMATION</b>
-------------------	-------------------------------

Poisons Schedule	5
AICS	Listed
Dangerous Goods Initial Emergency Response Guide	(SAA/SNZ HB76:1997 ) 14

<b>Section 16</b>	<b>OTHER INFORMATION</b>
-------------------	--------------------------

DATE OF LAST REVISION OF MATERIAL SAFETY DATA SHEET  
14<sup>th</sup> February 2016

CONTACT POINT – Les Buss – TELEPHONE (08) 9309 4222

AUTHORISATION FOR ISSUE \_\_\_\_\_ DATE \_\_\_\_/\_\_\_\_/\_\_\_\_  
**Les Buss**

*The above information is accurate to the best of the knowledge available to us. However since data safety and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control we make no warranty, whether express or implied, with respect to completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Users should satisfy themselves that they have all current data relevant to their particular use.*