

MATERIAL SAFETY DATA SHEET

Section 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

COMPANY	Delshine Chemicals
ABN NUMBER	78-805-588-343
ADDRESS	Unit 1 / 30 Prindiville Drive, Wangara
TELEPHONE NUMBER	(08) 9309 4222
EMERGENCY TELEPHONE	041 992 7281 (After hours)
EMAIL	delshine-chemicals@bigpond.com
WEB SITE	www.delshinechemicals.com

BRAND NAME – NAPPY FRESH

TRADE NAME – NAPPY FRESH

SHIPPING NAME (section 14) CORROSIVE SOLID NOS

USE – Chlorinated sanitiser for removing soil , and whitening nappies.

RESTRICTIONS – KEEP AWAY FROM ACIDS

Section 2 HAZARDS CLASSIFICATION / IDENTIFICATION

CLASSIFIED AS : HAZARDOUS ACCORDING TO CRITERIA OF NOHSC AND CLASSIFIED AS A DANGEROUS GOOD ACCORDING TO THE ADG CODE

UN NUMBER : 2465

Emergency Overview – Corrosive . Strongly alkaline. Causes burns. Irritating to respiratory system. Irritating to eyes and skin.

Health Effects – Acute

Swallowed – Corrosive. May cause severe gastrointestinal tract irritation with nausea , vomiting and possible burns. May be harmful if swallowed.

Eyes – Contact with eyes may cause severe irritation , and possible eye burns.

Skin – Contact with skin causes irritations , and possible burns especially if skin is wet or moist.

Inhaled – May cause irritation of the respiratory tract with burning pain in the nose and throat , coughing , wheezing , shortness of breath and pulmonary oedema.

Health Effects – Chronic

Chronic inhalation and ingestion may cause effects similar to those of acute inhalation and ingestion.

CONTINUE SECTION 2 HAZARDS CLASSIFICATION / IDENTIFICATION

RISK PHASES –

R36/38 – Irritating to eyes and skin

SAFETY PHASES –

S 1 /2 – Keep locked up and out of reach of children

S8 – keep container dry

S 13 – Keep away from food , drink and animal foodstuffs

S22 – Do not breathe dust

S24 / 25 – Avoid contact with skin and eyes

S26 – In case of contact with eyes rinse immediately with plenty of water and contact a doctor or poisons information centre.

S36/37/39 Wear suitable protective clothing , gloves and eye/face protection

S45 – In case of accident or if you feel unwell, seek medical advice immediately (show label whenever possible)

Section 3 COMPOSITION / INFORMATION OF INGREDIENTS

Chemical Entity:	CAS No:	Proportion (% mass)
Sodium Metasilicate Penta Hydrate	10213-79-320	< 30
Sodium Carbonate	497-19-8	30 – 60

Section 4 FIRST AID MEASURES

Swallowed – DO NOT induce vomiting, give large amounts of water or milk. Never give anything by mouth to an unconscious person. Seek medical attention immediately.

Eyes – Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Seek medical attention immediately.

Skin – Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Seek medical attention immediately.

Inhaled – Remove from exposure to fresh air immediately. If not breathing give artificial respiration. If breathing is difficult give oxygen. Seek medical attention.

Advice to doctor – Medical conditions aggravated by exposure – asthma , skin & lung diseases. Treat symptomatically based on judgement of doctor and individual reactions of patient

First Aid Facilities: Ensure an eye bath and safety shower are available and ready for use.

Section 5 FIRE FIGHTING MEASURES

Flammability – Non Combustible

Fire / Explosion – Non – combustible .Stable under normal conditions. Flammable hydrogen gas may be produced on contact with metals such as aluminium, tin , and zinc especially in the presence of moisture. Incompatible with strong acids.

Extinguishing Media – Fire fighters should wear full protective clothing including self contained breathing apparatus. Material is non combustible . Use equipment / media appropriate to surrounding fire conditions.

HAZCHEM CODE : 1W

Section 6 ACCIDENTAL RELEASE MEASURES

Spills – clean up personnel should wear full protective clothing including breathing apparatus in dusty conditions. Prevent material from entering waterways, drains or sewers. Sinks and mixes with water. Sweep , scoop or vacuum up spilled material . Flush spill area with water and neutralize with dilute acid.

Section 7 HANDLING AND STORAGE

Storage – Store in dry conditions in a cool dry area away from heat, sparks and flame. Can be stored in carbon steel or stainless steel.

Section 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards – An exposure limit for this material has not been established by Worksafe Australia, although a ceiling limit of 2mg/m³ respirable dust is recommended by the manufacturer. Chlorine : TWA 1 ppm (3mg/m³) – STEL Peak limitation. Respirable dust : TWA : 10mg/m³. STEL Not assigned. Recommended TLV = 0.05 mg/m³.

Engineering Controls – Use adequate ventilation to keep airborne concentrations low.
Personal Protection – Use AS1715 / 1716 approved dust respirator where dust occurs. Wear rubber gloves chemical goggles or face shield and other protective clothing to minimize exposure. Do not get in eyes on skin or on clothing. Do not breathe dust. Wash hands and face thoroughly after handling and before work breaks , eating , drinking , smoking or using toilet facilities.

Section 9 PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE - White

ODOUR – slight chlorine

PH – 99 approx (1 % solution)

VAPOUR PRESSURE – not available

BOILING POINT °C – not available

VAPOUR DENSITY – not available

FREEZING POINT °C – not available

SOLUBILITY - complete

SPECIFIC GRAVITY – 1.0

ADDITIONAL INFORMATION

Section 10 STABILITY & REACTIVITY

Stable under normal conditions . Hygroscopic – may form lumps . Reactive to acids. Attacks aluminium and zinc.

Hazardous polymerization – will not occur.

Section 11 TOXICOLOGICAL INFORMATION

Toxicity Data – Sodium Metasilicate Oral LD50 = 1280 mg/kg (RAT) Dermal LD50 = not available-skin (human) 250 mg/24hrs severe. Inhalation LC50 = not available Not listed as a carcinogen by OSHA , NTP or IARC.

For Sodium Carbonate – Oral rat LD50 : 4090 mg/kg inhalation rat LC50 : 2300 mg/m³/2H : irritation eye rabbit : 50mg severe investigation as a mutagen reproductive effector.

Sodium Dichlorisocyanurate – LD50 (rat) 550 – 1670 mg/kg Dermal LD50 rabbit >5000mg/kg

Inhalation LC50 >200mg/kg. Respiratory irritation rat irritating and tearing at 10 and 30 mg/m³.

Section 12 ECOLOGICAL INFORMATION

High pH. Alkalinity of undiluted or unneutralised material (pH > 8.5) is harmful to aquatic life.

Section 13 DISPOSAL CONSIDERATIONS

Disposal – Dispose of in accordance with local state and federal regulations at an approved waste disposal facility. Product can be neutralized with diluted acid and solids landfilled according to relevant regulations.

Section 14	TRANSPORT INFORMATION
-------------------	------------------------------

UN NUMBER : 2465

UN PROPER SHIPPING NAME : Dichloroisocyanuric Acid Salts mixture

CLASS: 5.1

PACKING GROUP: 11

HAZCHEM CODE: 1W

Section 15	REGULATORY INFORMATION
-------------------	-------------------------------

Australian Inventory of Chemical Substances – all ingredients are listed on the AICS.

NOHSC (Worksafe) Labelling – R36/38 Irritating to eyes and skin, R50/53 – Very toxic to aquatic organisms and may cause long term adverse effects in the aquatic environment.

Safety phases S1 / 2 Keep locked up and out of reach of children , S8 Keep container dry , S13 Keep away from food , drink and animal foodstuffs, S24/25 Avoid contact with eyes and skin. S22 Do not breathe dust, S26 In case of contact with eyes rinse immediately with plenty of water and contact a doctor or poisons information centre, S36/37/39 Wear suitable protective clothing , gloves , eye / face protection ,S45 In case of accident or you feel unwell seek medical advice immediately (show label whenever possible)

S61 – Avoid release to the environment , refer to material safety data sheet

SUSDP LABELLING – Safety directions – Strong alkaline. Avoid contact with skin and eyes.

First Aid Instructions - For advice contact a Poisons Information Centre (phone Australia 131 126) at once . If swallowed DO NOT induce vomiting . If in eyes hold eyelids apart and flush until advised to stop by the Poisons Information Centre or a doctor or for at least 15 minutes. If skin or hair contact occurs remove contaminated clothing and flush skin and hair with running water.

Section 16	OTHER INFORMATION
-------------------	--------------------------

DATE OF LAST REVISION OF MATERIAL SAFETY DATA SHEET :

14th February 2016

CONTACT POINT – Les Buss – TELEPHONE (08) 9309 4222

AUTHORISATION FOR ISSUE _____ DATE ____/____/_____
Les Buss

The above information is accurate to the best of the knowledge available to us. However since data safety and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control we make no warranty, whether express or implied, with respect to completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Users should satisfy themselves that they have all current data relevant to their particular use.