

MATERIAL SAFETY DATA SHEET

Section 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

COMPANY	Delshine Chemicals
ABN NUMBER	78-805-588-343
ADDRESS	Unit 1 / 30 Prindiville Drive, Wangara
TELEPHONE NUMBER	(08) 9309 4222
EMERGENCY TELEPHONE	041 992 7281 (After hours)
EMAIL	delshine-chemicals@bigpond.com
WEB SITE	www.delshinechemicals.com
BRAND NAME	Floor Seal 30
TRADE NAME	Floor Seal 30
SHIPPING NAME (section 14)	Not Applicable
USE	Sealant for Vinyl flooring etc (Refer to label)
RESTRICTIONS	No special requirements

Section 2 HAZARDS CLASSIFICATION / IDENTIFICATION

Classified as Not Hazardous according to criteria of NOHSC and classified as not a dangerous good according at the ADG code.

UN Number Not applicable

Emergency Overview – product is not classified as hazardous . May cause transient irritating of skin and eyes.

Health Effects Acute

Swallowed – Ingestion is irritating to the gastric tract and may cause gastric upset and nausea.

Eye – Vapour is mildly irritating to the eyes. Contact is irritating due to alkaline nature of the product.

Skin – Brief contact is not irritating. Product may irritate if allowed to dry and form a film on the skin.

Inhaled – Vapour is mildly irritating to the upper respiratory tract , but prolonged exposure or elevated vapour levels can cause headaches and nausea.

Chronic – No chronic long term effects documented.

Risk Phases – R36 Irritating to eyes.

Safety Phases – S1/2 Keep locked up and out of reach of children , S26 In case of contact with eyes rinse immediately with water and seek medial advice.

Section 3 COMPOSITION / INFORMATION OF INGREDIENTS

CAS #	Chemical Name	%
Confidential	Cross linked acrylic polymer	10 – 30
7764-41-7	Ammonia	<10
111-77-3	Diethylene Glycol monomethylene ether	<10
-	Non Hazardous materials	to 100%

Section 4 FIRST AID MEASURES

Swallowed – If swallowed DO NOT induce vomiting. Give water to drink , seek medical advice if irritation persists.

Eye – Hold affected eye open and flush with running water for at least 15 minutes. Seek medical advice if irritation persists.

Skin – Remove contaminated clothing and wash affected area well with water. Launder clothing before reuse.

Inhaled – remove patient to fresh air keep warm and rested.

Advice to doctor – Treat symptomatically

Section 5 FIRE FIGHTING MEASURES

Flammability – Not combustible.

Fire Explosion Hazard - if involved in a fire may generate carbon monoxide , carbon dioxide and NO_x.

Acceptable Extinguishing Methods – Water , Foam , Dry Chemical and CO₂

Section 6 ACCIDENTAL RELEASE MEASURES

Spills – Absorb large spills on sand or earth and collect for disposal in clean , labeled containers. Flush small spills and residue to drain with excess water.

Section 7 HANDLING AND STORAGE

Storage - Store in a cool , dry well ventilated area. Reseal container after use.

Section 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

NOHSC Exposure standards – product not assigned

Ammonia :TWA 17mg/m³,STEL 24mg/M³

Engineering Controls - Use good ventilation to keep vapour levels below exposure standards.

No Special requirements .

Personal Protection –

Eyes - Chemical safety glasses

Hand - PVC Gloves

Respirator Type – Not normally required

Protective Clothing - Coveralls

Section 16	OTHER INFORMATION
-------------------	--------------------------

DATE OF LAST REVISION OF MATERIAL SAFETY DATA SHEET

22nd November **2016**

CONTACT POINT – Les Buss – TELEPHONE (08) 9309 4222

AUTHORISATION FOR ISSUE

____/____/____

DATE

Les Buss

The above information is accurate to the best of the knowledge available to us. However since data safety and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control we make no warranty, whether express or implied, with respect to completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Users should satisfy themselves that they have all current data relevant to their particular use.

END OF M.S.D.S